





运输危险性鉴定书

Hazard Classification and Identification Report for Transport of Goods

锂电池类物品

样品名称:

锂离子电池组113558 3.6V 2100mAh 7.56Wh

Sample name:

Rechargeable Lithium ion Battery pack 113558 3.6V 2100mAh 7.56Wh

100

乐高商贸(深圳)有限公司

委托单位:

LEGO Commerce (Shenzhen) Co. Ltd.

生产单位:

捷普精密工业(广州)有限公司

Jabil Precision Industry (Guangzhou) Co., Ltd





上海化工院检测有限公司

CHANGUAL INSTITUTE OF CHEMICAL INDUSTRY TESTING CO. LTD





运输危险性鉴定书

NO. 212500634180693

Page 1/3

Hazard Classification and Identification Report for Transport of Goods

	and the same of th	for Transport C			
	L >-	锂离子电池组113558 3.6V 210	00mAh 7.56Wh		
307 2- 33	中文				
样品名称	Chinese				
Sample Name		Rechargeable Lithium ion Battery pack 113558 3.6V 2100mAh 7.56Wh			
	英文	(CA)			
	English				
·	A 12	乐高商贸(深圳)有限公司			
委托单位		LEGO Commerce (Shenzhen) Co. Ltd.			
Applicant					
生产单位		捷普精密工业(广州)有限公司 Jabil Precision Industry (Guangzhou) Co., Ltd			
Manufacturer					
检验方法、程序		国际海事组织《国际海运危险货物规则》(2022版)			
Inspection metho		IMO International Maritime Dangerous Goods Code (2022 Edition)			
样品	外观.	灰色塑胶外壳			
Sample ap		Gray Plastics cement shell			
		重量≤30kg。			
包装件信息 Package information		weight≤30kg.			
		型号	容量Capacity	放置方式	
序号 NO. B	电池种类 attery type	Model	/锂含量Li content	Placement	
	理离子单电芯电池	113558	2100mAh 7.56Wh	电池单独运输	
	rgeable Li-ion			Battery only	
	e cell battery	azards identification)			
1	世离子电池。 ithium ion batte	ery.			
FI CATI ON	ode) #据特殊规定188,	际海事组织《国际海运危险货物规则》办理的类项(Suggestion according to IMO IMDG 。 ,该物品不受IMO IMDG Code其他条款限制。 not subject to other provisions of IMO IMDG Code according to special provision 188.			
4 C					
NO NO	0. 包括更改(De-Jeoging requirements)				
L S 3	3. 包装要求(Packaging requirements)				
_ /	E. one. 检验日期:	签发日期:	生效日期:	2008年間第	
备注 Comment	Inspection Date	2025-02-18	2025-02-18 Effective Dat	(28)	

批准 Approver: 七 第

审核 支 完 Checker:

主检 Appraiser: 品价



NO. 212500634180693

Hazard Classification and Identification Report for Transport of Goods

Page 2/3

序号 No.	检验结果及其他事项 Inspection results and other things
1	本鉴定书所述锂电池按照《国际海运危险货物规则》(2022版)2.9.4.5规定的质量管理体系进行制造。 Lithium cells and batteries listed in this report were manufactured under the quality management program described in IMDG CODE 2022 EDITION 2.9.4.5.
2	本鉴定书所述锂电池已通过联合国《试验和标准手册》第111部分38.3小节相应测试要求。 包装件能够承受1.2m跌落试验。 Lithium cells and batteries listed in this report are of the types proved to meet the requirements of each applicable test in the UN Manual of Tests and Criteria, Part III, sub-section 38.3. The package has passed the 1.2m drop test. UN38.3试验概要编号 The UN38.3 Test Summary No.(s) 812400700175120 详细信息请扫描右侧二维码。 Please scan the QR code on the right for more information.
3	锂电池完全封装在内包装内,位于坚固的外包装中。 Lithium cells and batteries are packed in inner packagings that completely enclose the cell or battery and placed in a strong outer packaging.
4	电池具有适当的防短路措施。 Cells and batteries are properly protected to prevent short circuits.
5	每个包装件必须标示恰当的锂电池标记。 装有锂电池的包装件,符合国际民航组织《危险物品安全航空运输技术细则》第4部分第11章的包装说明965或968第1B部分规定的,黏贴 5.2.1.10(锂电池标记)和5.2.2.2所示的9A型标签,应视为符合本特殊规定188的规定。注:《国际海运危险货物规则》(2020版)5.2.1.10 中显示电话号码附加信息的锂电池标记,可维续使用至2026年12月31日。 Each package shall be marked with the appropriate lithium battery mark. Packages containing lithium batteries packed in conformity with the provisions of part 4, chapter 11, packing instructions 965 or 968, section IB of the ICAO Technical Instructions for the Safe Transport of Dangerous Goods by air that bear the mark as shown in 5.2.1.10(lithium battery mark) and the label shown 5.2.2.2, Model No.9A shall be deemed to meet the provisions of this special provision 188. Note: The mark shown in 5.2.1.10(lithium battery mark) of the IMDG CODE 2020 EDITION, showing the telephone number for additional information, may continue to be applied until 31 December 2026.
6	
7	
	-验证码:836613-
	W. Hart Freezest



运输危险性鉴定书

Hazard Classification and Identification Report for Transport of Goods

NO. 212500634180693 Page 3/3



报告结束